



AVINO SILVER & 2006-2008 Elena Tolosa Zone drill results
GOLD MINES LTD.

ET-08-08 <i>Intersected the main Avino vein 192.95-203.5m (10.3m), gold & silver values were low</i>								
	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)
	192.95	194.45	1.5	1.456	4.6	318	57	508
	194.45	195.95	1.5	0.431	4.4	329	256	502
	195.95	197.1	1.15	0.325	13.5	1523	2446	3813
	197.1	198.6	1.5	0.1	2.5	133	355	1688
Main Avino Vein	198.6	199.7	1.1	0.048	4.4	101	36	1206
	199.7	200.8	1.1	0.046	5.7	69	72	896
	200.8	201.75	0.95	0.203	27.2	120	301	627
	201.75	203.25	1.5	0.03	6.5	431	43	1048

ET-08-07 <i>Drilled 150m east of ET 08-04 it did not intersect the Avino vein</i>								
	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)

ET-08-06 <i>Intersected the Avino vein 237.6-288,7m (51.1m), Au & Ag values were low, copper of interest</i>								
	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)
	237.6	238.25	0.65	0.14	74.2	3526	7260	909
	238.25	239.75	1.5	0.065	22.4	2260	344	383
	239.75	241.25	1.5	0.02	8.7	883	43	528
	241.25	242.75	1.5	0.115	10.1	2249	374	1981
	242.75	244.25	1.5	0.045	8.7	2641	40	631
	244.25	245.75	1.5	0.105	14.4	3472	87	651
	245.75	247.25	1.5	0.072	17.1	4780	41	876
	247.25	248.75	1.5	0.053	20.5	6107	100	950
	248.75	250.25	1.5	0.1	11	4619	191	1044
	250.25	251.75	1.5	0.12	10.4	4869	282	784
	251.75	253.25	1.5	0.035	4	1261	45	662
	253.25	254.75	1.5	0.163	14.9	2553	78	835
	254.75	256.25	1.5	0.045	25.4	6483	95	734
	256.25	257.75	1.5	0.015	12	5544	40	871
	257.75	259.25	1.5	0.025	39.8	5758	217	521
	259.25	260.75	1.5	0.025	20.6	6136	89	465
Main Avino Vein	260.75	262.25	1.5	0.015	10.5	3202	74	327
	262.25	263.75	1.5	0.059	24	3670	105	533
	263.75	265.25	1.5	0.049	28.7	3252	183	718
	265.25	266.75	1.5	0.053	14.2	6129	112	584
	266.75	268.25	1.5	0.156	47.3	7192	217	399
	268.25	269.75	1.5	0.102	19.8	3342	125	326
	269.75	271.25	1.5	0.03	9.1	4101	38	414
	271.25	272.75	1.5	0.01	9.3	2611	94	455
	272.75	274.25	1.5	0.02	7.9	3355	41	391
	274.25	275.75	1.5	0.02	16.5	4405	58	496
	275.75	277.25	1.5	0.076	82.7	4570	422	979
	277.25	278.75	1.5	0.084	58.4	5545	956	593
	278.75	280.25	1.5	0.01	16.6	5749	74	659
	280.25	281.75	1.5	0.02	18.7	4592	68	575
	281.75	283.25	1.5	0.015	16.1	4219	74	651
	283.25	284.75	1.5	0.038	23.6	3526	7260	909
Main Avino Vein	284.75	286.25	1.5	<0.005	6.7	2841	22	1225
	286.25	287.75	1.5	0.092	49.4	25700	44	2712
	287.75	288.7	0.95	0.105	62.5	27200	57	2669

ET-08-05 <i>Intersected the Avino vein 293.35-302.7 (9.35m) low Au & Ag, copper values are of interest</i>								
	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)
	290.95	292.3	1.35	0.172	16.7	533	3964	643
	292.3	293.35	1.05	0.096	0.5	581	5078	2842
	293.35	294.85	1.5	0.379	30.8	2116	8000	559
	294.85	296.35	1.5	0.05	12.3	2654	7063	582
Main Avino Vein	296.35	297.6	1.25	0.568	67.3	3564	3688	164
	297.6	299.1	1.5	0.062	42.4	5360	1771	688
	299.1	300.6	1.5	0.02	31.8	14900	896	3473
	300.6	301.7	1.1	0.06	34.4	11300	282	1743
	301.7	302.7	1	0.13	44.2	10000	469	1265

ET-08-04

Intersected the Avino Vein from 321-341.1m (20.1m) 128 g/t Ag, 0.04 g/t Au

	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)
	307.5	308.6	1.1	0.02	6.6	594	434	1291
	308.6	309.9	1.3	0.034	0.3	43	203	272
	311.9	312.6	0.7	0.115	27.2	2661	635	1330
	315	316.5	1.5	0.063	9.3	1558	257	1115
	316.5	318	1.5	0.065	19.1	4899	367	1122
	318	319.5	1.5	0.04	13	900	441	1265
	319.5	321	1.5	0.071	12.7	1765	400	846
	321	322.5	1.5	0.501	34.2	2378	264	426
	322	324	2	1.146	71	3147	421	496
	324	325.5	1.5	0.904	55.2	4652	230	288
	325.5	327	1.5	0.262	54.9	1395	203	236
	327	328.5	1.5	2.174	165	8408	509	286
	328.5	330	1.5	0.173	101.9	7194	8582	3727
	330	331.5	1.5	0.053	56	4926	5923	18300
	331.5	333	1.5	0.095	54.9	4081	2559	561
	333	334	1	0.08	23.1	1089	1199	301
	334	336	2	0.052	56.6	11000	536	597
	336	337.5	1.5	0.03	49.7	10900	170	618
	337	339	2	0.032	156.6	14700	395	853
	339	340	1	0.025	48.4	6149	174	595
	340	341.1	1.1	0.064	161.8	8252	2170	1765
	341	342.6	1.6	0.042	38.4	2734	662	1564
	342.63	344.1	1.47	0.025	34	8428	193	1194
	344.1	345.6	1.5	0.082	14.4	7693	109	826
	345.6	347.1	1.5	0.086	13.4	3645	113	435
	347.1	348.6	1.5	0.025	6.5	2553	51	203
	348.6	350.1	1.5	<0.005	3.2	2505	9	379
	350	351.6	1.6	0.058	68.5	254	415	369
	351.6	352.7	1.1	0.01	5.4	657	25	276

ET-08-03

	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)
	79.75	80.4	0.65	0.02	14.7	409	40	2080
	80.4	81.9	1.5	1.396	48	2641	148	435
	81.9	83.2	1.3	6.72	174.4	2456	327	21
	83.2	84.5	1.3	3.703	96.4	1815	818	94
	84.5	85.7	1.2	0.11	8.9	315	241	217
	192.25	193.75	1.5	0.275	24.6	257	618	318
	193.75	195.2	1.45	0.458	20.4	1528	298	330
	195.2	196.7	1.5	0.185	11.5	405	253	275
	196.7	198.3	1.6	0.294	40.4	760	449	147
	198.3	199.65	1.35	0.145	29.7	520	687	391
	199.65	200.95	1.3	0.065	20.1	1592	5318	570
	200.95	202.45	1.5	0.087	0.3	631	331	750
	202.45	203.95	1.5	0.082	3.8	432	167	487
	212.8	213.8	1	0.162	4.9	517	1910	584
	213.8	214.55	0.75	0.02	4.5	484	4282	3006
	214.55	216.05	1.5	0.135	21.2	490	301	1090
	216.05	217.55	1.5	0.109	40.8	393	893	489
	217.55	219.05	1.5	3.017	113.2	1830	1120	636
	219.05	220.55	1.5	0.096	7.9	1170	229	989
	220.55	222.05	1.5	0.025	8.8	967	307	668
	222.05	223.55	1.5	0.128	11.9	1546	117	585
	223.55	225.05	1.5	0.049	9.6	1875	229	671
	225.05	226.05	1	0.105	8.4	1269	122	641
	226.55	228.05	1.5	0.084	21.1	499	1455	1210
	228.05	229.55	1.5	0.1	21.7	272	441	784
	229.55	231.05	1.5	0.723	82.3	2988	596	599
	231.05	232.55	1.5	1.31	94.9	3753	565	674
	232.55	234.05	1.5	1.89	58.4	574	474	619
	234.05	235.55	1.5	1.658	69.1	1117	412	687
	235.55	237.05	1.5	2.756	53	2590	396	711
	237.05	238.55	1.5	1.065	28.7	1816	280	410
	238.55	240.05	1.5	0.219	66.5	1263	916	416
	240.05	241.55	1.5	0.185	45.3	369	191	424
	241.55	243.05	1.5	0.167	42	1220	482	438
	243.05	244.55	1.5	0.382	48.1	8097	525	2111
	244.55	246.05	1.5	0.648	60.7	1638	766	716
	246.05	247.55	1.5	0.506	49.7	1311	549	415
	247.55	249.05	1.5	0.125	39.7	1343	911	475
	249.05	250.55	1.5	0.16	78.1	3430	790	737
	250.55	252.05	1.5	0.135	92.9	3617	551	506
	252.05	253.55	1.5	0.13	44.4	5739	351	603
	253.55	255.05	1.5	0.07	42.6	3395	796	357
	255.05	256.55	1.5	0.045	30	2971	365	374
	256.55	257.85	1.3	0.025	31.4	5772	1510	686
	257.85	259.35	1.5	<0.005	<0.1	133	374	1041
	259.35	260.85	1.5	<0.005	2.6	469	114	935
	260.85	262.35	1.5	<0.005	1.1	457	94	1548

ET-08-02

	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)
	68.4	70.2	1.8	<0.005	91.6	1008	196	324
	70.2	71	0.8	0.342	1.3	326	149	3386
	71	72.2	1.2	0.065	11.1	1480	53	922
	72.2	73.3	1.1	0.981	130	1150	472	192
	73.3	74.4	1.1	0.931	72.9	321	237	69
	74.4	75.1	0.7	0.026	4.8	1082	127	924
	164.55	166.15	1.6	0.065	33.4	3343	2393	688
	166.15	166.85	0.7	0.115	16.5	2433	740	329
	166.85	167.5	0.65	0.614	35.8	354	301	176
	170.05	170.4	0.35	0.276	39.4	2779	359	462
	178.55	179.5	0.95	0.281	24.9	383	102	1900
	185.55	186.75	1.2	0.236	2.4	82	41	2177
	186.75	188.25	1.5	0.215	6.4	138	50	1358
	188.25	189.75	1.5	0.585	8.6	766	561	1079
	189.75	191.25	1.5	2.635	19.4	692	724	817
	191.25	192.75	1.5	3.225	12	113	95	612
	192.75	194.25	1.5	2.08	27.7	224	125	595
	194.25	195.75	1.5	<0.005	40.5	1734	454	847
	195.75	197.25	1.5	<0.005	3.4	28	184	1074
	197.25	198.75	1.5	<0.005	4	42	168	690
	198.75	200.25	1.5	<0.005	4.9	201	352	1042
	200.25	201.75	1.5	<0.005	10.6	276	162	670
	201.75	203.25	1.5	<0.005	20.3	68	320	1091
	203.25	204.75	1.5	0.035	12.7	226	413	871
	204.75	206.25	1.5	<0.005	32.2	751	317	530
	206.25	207.75	1.5	<0.005	8.5	1200	83	410
	207.75	209.25	1.5	<0.005	10.3	957	134	660
	209.25	210.75	1.5	<0.005	25.5	1180	185	522
	210.75	212.25	1.5	<0.005	22.9	2220	423	3806
	212.25	213.5	1.25	<0.005	36.9	400	473	2021
	213.5	215	1.5	<0.005	3.1	217	85	1775
	215	216.5	1.5	<0.005	21.1	2919	365	2243
	216.5	218	1.5	<0.005	0.4	118	33	3004
	218	219.5	1.5	<0.005	1.1	66	34	2246
	219.5	221	1.5	0.136	8.1	145	126	905

ET-08-01

	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)
	84.35	85.05	0.7	0.045	43.3	8621	168	240
	192.95	194.4	1.45	0.02	2.6	64	49	1029
	194.4	195.4	1	0.084	6	738	670	1076
	195.4	196.9	1.5	0.125	5	263	267	2706
	196.9	198.4	1.5	0.322	3.6	259	149	719
	198.4	199.9	1.5	0.02	7.8	97	68	554
	199.9	201.4	1.5	0.054	5.2	331	180	665
	201.4	202.9	1.5	<0.005	2.4	306	45	2079
	202.9	204.4	1.5	0.09	1.6	271	54	5950
	204.4	205.9	1.5	0.005	0.6	456	25	2784
	205.9	207.4	1.5	<0.005	0.8	168	16	4381
	207.4	208.9	1.5	<0.005	0.8	229	18	2361
	208.9	210.4	1.5	0.04	1.3	178	34	3494
	210.4	211.9	1.5	0.015	0.3	320	23	2502
	211.9	213.4	1.5	0.005	3	621	29	3857
	213.4	214.3	0.9	0.005	1.6	1134	479	3560
	214.3	216.25	1.95	0.015	10.4	1452	1308	3269
	216.25	217.75	1.5	<0.005	4.1	1732	2163	2690
	217.75	219.25	1.5	<0.005	12.2	1563	2077	1292
	219.25	220.75	1.5	0.044	9.4	913	1562	1029
	220.75	221.49	0.74	<0.005	19.9	1993	1896	4123



AVINO SILVER &
GOLD MINES LTD.
2006-07 Elena Tolosa Zone Assays

ET-07-010 <i>Bearing 336 Dip -63 Length 308.7m</i>						
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu g/t
Avino quartz vein with sulphides	257.3	258.8	1.5	0.16	85.3	15700
Avino quartz vein with sulphides	258.8	260.3	1.5	0.08	86.6	23400
Avino quartz vein with sulphides	260.3	261.8	1.5	0.125	27.7	14100
Avino quartz vein with sulphides	261.8	263.3	1.5	0.101	21.8	15400
Avino quartz vein with sulphides	263.3	264.8	1.5	0.098	20.3	13500
Avino quartz vein with sulphides	266.3	267.8	1.5	0.574	43.4	6613
Avino quartz vein with sulphides	267.8	269.3	1.5	0.457	39.8	4211
Avino quartz vein with sulphides	269.3	270.8	1.5	0.089	19.3	15200
Avino quartz vein with sulphides	282.8	284.3	1.5	0.02	9.3	16000
Avino quartz vein with sulphides	284.3	285.8	1.5	0.01	10.2	19300
Avino quartz vein with sulphides	285.8	287.3	1.5	0.035	27	31600
Avino quartz vein with sulphides	287.3	288.8	1.5	0.07	37.4	21500
Avino quartz vein with sulphides	288.8	290.3	1.5	0.049	27.1	34200
Avino quartz vein with sulphides	290.3	291.8	1.5	0.065	51.3	72600
Avino quartz vein with sulphides	291.8	293.3	1.5	0.02	14.8	33300
Avino quartz vein with sulphides	293.3	294.8	1.5	0.335	28.8	15000
Avino quartz vein with sulphides	294.8	295.8	1	0.035	23.2	17200
Avino quartz vein with sulphides	295.8	297.3	1.5	1.31	37.9	16100
Avino quartz vein with sulphides	297.3	299.1	1.8	0.51	51.5	7570

ET-07-09 <i>Bearing 336 Dip -62 Length 328.6m</i>						
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu g/t
Avino vein with massive chalopyrite	290.8	292.3	1.5	0.04	101.9	12100
Avino vein with massive chalopyrite	292.3	293.8	1.5	0.16	0.69	11500
Avino vein with massive chalopyrite	295.3	296.8	1.5	0.146	0.94	11200
Avino vein with massive chalopyrite	299.8	301.3	1.5	0.07	1.49	6327
Avino vein with massive chalopyrite	301.3	302.8	1.5	0.36	1.18	14600
Avino vein with massive chalopyrite	302.8	304.3	1.5	0.015	0.53	8029
Avino vein with massive chalopyrite	304.3	305.8	1.5	0.02	0.82	8475

ET-07-08 <i>Bearing 346.65 Dip -69 Length 339.7m</i>						
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu g/t
Avino vein. Moderate diss cpy-py	355.85	357.35	1.5	0.111	257.5	6959
Avino vein. Moderate diss cpy-py	357.35	359.15	1.8	0.125	170	9341

ET-07-07 <i>Bearing 330 Dip -59 Length 304.85m</i>						
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu g/t
Avino Vein. Wh qtz veining w/moderate diss cpy and str	272.3	273.8	1.5	0.615	80.6	2199
Avino Vein. Wh qtz veining w/moderate diss cpy and str	273.8	275.3	1.5	0.148	160.9	20500
Avino Vein. Wh qtz veining w/moderate diss cpy and str	275.3	276.8	1.5	0.118	203.5	19700
Avino Vein. Wh qtz veining w/moderate diss cpy and str	276.8	278.3	1.5	0.28	172.8	17800
Avino Vein. Wh qtz veining w/moderate diss cpy and str	278.3	279.8	1.5	0.368	441.4	24600
Avino Vein. Wh qtz veining w/moderate diss cpy and str	279.8	281.3	1.5	0.22	327	12600
Avino Vein. Wh qtz veining w/moderate diss cpy and str	281.3	282.8	1.5	0.081	110.8	3002
Avino Vein. Wh qtz veining w/moderate diss cpy and str	282.8	284.3	1.5	0.065	184.6	3317
Avino Vein. Wh qtz veining w/moderate diss cpy and str	284.3	285.8	1.5	0.07	89.2	8786
Avino Vein. Wh qtz veining w/moderate diss cpy and str	285.8	287.3	1.5	0.07	209.3	54400
Avino Vein. Wh qtz veining w/moderate diss cpy and str	287.3	288.8	1.5	0.035	32.8	13200
Avino Vein. Wh qtz veining w/moderate diss cpy and str	288.8	290.3	1.5	0.047	76.1	29300
Avino Vein. Wh qtz veining w/moderate diss cpy and str	290.3	291.8	1.5	0.126	339.7	44300
Avino Vein. Wh qtz veining w/moderate diss cpy and str	291.8	293.3	1.5	0.06	20.8	6361
Avino Vein. Wh qtz veining w/moderate diss cpy and str	293.3	295.15	1.85	0.202	166.9	55500

ET-07-06 Bearing 336 Dip -55 Length 320.05m						
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu g/t
Avino vein Wh qtz stockwork veining textures w'diss py-	289	290.5	1.5	0.95	228.9	23200
Avino vein Wh qtz stockwork veining textures w'diss py-	298	299.5	1.5	0.165	72.3	14800
Avino vein Wh qtz stockwork veining textures w'diss py-	299.5	301	1.5	0.485	54.6	8401
Avino vein Wh qtz stockwork veining textures w'diss py-	301	302.5	1.5	0.09	40.8	11500
Avino vein Wh qtz stockwork veining textures w'diss py-	302.5	304	1.5	0.147	55.6	14400
Avino vein Wh qtz stockwork veining textures w'diss py-	304	305.5	1.5	0.093	55.8	8321
Avino vein Wh qtz stockwork veining textures w'diss py-	305.5	307	1.5	1.59	90.4	15100
Avino vein Wh qtz stockwork veining textures w'diss py-	307	308.6	1.5	0.15	73.8	8729
Intrusive rock. Wh qtz veining w/cpy	308.6	310.1	1.5	0.04	54.6	5962
Intrusive rock. Wh qtz veining w/cpy	310.1	311.6	1.5	0.075	98	6217
Intrusive rock. Wh qtz veining w/cpy	311.6	313.1	1.5	0.075	81.9	10800
Intrusive rock. Wh qtz veining w/cpy	313.1	314.6	1.5	0.04	97.9	7765

ET-07-05 Bearing 333 Dip -66 Length 351.5m						
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu g/t
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	301.95	303.45	1.5	1.152	83	1971
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	303.45	304.95	1.5	1.483	26.7	683
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	304.95	306.45	1.5	2.119	36.9	2030
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	312.45	312.95	0.5	1.752	10.7	533
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	312.95	315.45	2.5	1.015	119.7	1268
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	315.45	316.95	1.5	0.195	204.2	8565
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	316.95	318.45	1.5	0.075	123.6	2212
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	319.95	321.45	1.5	0.155	86.2	20300
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	321.45	322.95	1.5	0.12	30.4	13000
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	322.95	324.45	1.5	0.115	45.2	15400
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	324.45	325.95	1.5	0.075	40.2	18400
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	325.95	327.45	1.5	0.07	27.5	10200
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	327.45	328.95	1.5	0.05	48.1	17500
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	328.95	330.45	1.5	0.053	38.2	16700
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	330.45	331.95	1.5	0.095	61.9	20200
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	331.95	333.45	1.5	0.144	75.2	18900
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	333.45	334.95	1.5	0.13	45.7	15800
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	337.95	339.45	1.5	0.328	69	12200
Avino vein. Wh qtz stk-wk-veining w/diss f.g cpy+py+spcd	339.45	340.95	1.5	0.236	41	12200

ET-07-04 Bearing 331 Dip -56 Length 318.7m						
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu g/t
Avino Vein. Wh qtz veining w/ fine grain diss cpy-py	271.45	272.95	1.5	0.155	44.1	3618
Avino Vein. Wh qtz veining w/ fine grain diss cpy-py	272.95	274.45	1.5	0.397	106.1	2842
Avino Vein. Wh qtz veining w/ fine grain diss cpy-py	274.45	275.95	1.5	1.08	76.1	3862
Avino Vein. Wh qtz veining w/ fine grain diss cpy-py	275.95	277.45	1.5	1.314	126.9	4010
Avino Vein. Wh qtz veining w/ fine grain diss cpy-py	277.45	278.95	1.5	0.874	53	381
Avino Vein. Wh qtz veining w/ fine grain diss cpy-py	278.95	280.45	1.5	0.534	61.4	675
Avino Vein. Wh qtz veining w/ fine grain diss cpy-py	280.45	281.95	1.5	0.436	97.3	2649
Avino Vein. Wh qtz veining w/ fine grain diss cpy-py	287.95	289.45	1.5	0.25	63.5	7555
Avino Vein. Wh qtz veining w/ fine grain diss cpy-py	289.45	290.95	1.5	0.101	31.4	5156
Avino Vein. Wh qtz veining w/ fine grain diss cpy-py	290.95	292.45	1.5	1.115	138.6	3558
Avino Vein. Wh qtz veining w/ fine grain diss cpy-py	292.45	293.95	1.5	0.151	86.3	4162
Avino Vein. Wh qtz veining w/ fine grain diss cpy-py	293.95	295.45	1.5	0.161	34.9	3521
Avino Vein. Wh qtz veining w/ fine grain diss cpy-py	295.45	296.95	1.5	0.568	41.6	5047
Avino Vein. Wh qtz veining w/ fine grain diss cpy-py	296.95	298.45	1.5	0.115	29.1	10000
Avino Vein. Wh qtz veining w/ fine grain diss cpy-py	298.45	300.1	1.65	0.08	29.8	8408

ET-07-03 Bearing 336 Dip -71 Length 349.5						
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu g/t
Avino vein. Oxidized material	280.75	282.25	1.5	7.68	121.9	6048
Avino vein. Oxidized material	282.25	283.75	1.5	6.034	196.3	5034
Avino vein. Oxidized material	283.75	285.25	1.5	1.692	69.9	10400
Avino vein. Oxidized material	285.25	286.75	1.5	13.988	295.3	19600
Avino vein. Oxidized material	286.75	288.25	1.5	4.731	104.7	16100
Avino vein. Oxidized material	288.25	289.75	1.5	2.158	103.7	3948
Avino vein. Oxidized material	289.75	291.25	1.5	0.158	31.5	3789
Avino vein. Oxidized material	291.25	292.75	1.5	2.411	60	2683
Avino vein. Oxidized material	292.75	294.25	1.5	2.733	27.5	2793
Avino vein. Oxidized material	294.25	295.75	1.5	0.548	89.6	7268
Avino vein. Silicified quartz with diss cpy-py-specularite	295.75	297.25	1.5	3.086	161.8	5934
Avino vein. Silicified quartz with diss cpy-py-specularite	297.25	298.75	1.5	7.954	75.7	1476
Avino vein. Silicified quartz with diss cpy-py-specularite	298.75	300.25	1.5	2.265	97	10500
Avino vein. Silicified quartz with diss cpy-py-specularite	300.25	301.75	1.5	1.057	60.4	1486
Avino vein. Silicified quartz with diss cpy-py-specularite	301.75	303.25	1.5	1.911	42	3258

ET-07-02 Bearing 358 - Dip 75 - Length 311.9m						
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (g/t)
no significant assays						

ET-07-01 Bearing 1 Dip -69 Length 298.6m						
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (g/t)
Avino Vein. Silicified quart with diss cpy-py-specularite	284.9	285.85	0.95	0.068	201.7	3149
Avino Vein. Silicified quart with diss cpy-py-specularite	285.85	286.8	0.95	0.025	35.4	969
Avino Vein. Silicified quart with diss cpy-py-specularite	286.8	287	0.2	0.226	808.8	100200
Avino Vein. Silicified quart with diss cpy-py-specularite	287	288.5	1.5	0.045	27.3	2540
Avino Vein. Silicified quart with diss cpy-py-specularite	288	290	1.5	0.052	101.6	10000

ET-06-04 Bearing 340 Dip -50 Length 444.05m						
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (g/t)
Avino Vein	272.4	273.4	1.00	0.35	8.0	900
Avino Vein	273.4	274.4	1.00	0.004	0.5	30
Avino Vein	274.4	275.4	1.00	0.004	6.4	780
Avino Vein	275.4	276.4	1.00	0.004	1.4	63
Avino Vein	276.4	277.4	1.00	0.004	4.5	430
Avino Vein	277.4	278.4	1.00	0.004	1.0	51
Avino Vein	278.4	279.4	1.00	0.05	5.1	235
Avino Vein	279.4	280.4	1.00	0.004	1.3	77
Avino Vein	280.4	281.4	1.00	0.04	4.2	223
Avino Vein	281.4	282.4	1.00	0.015	2.6	185
Avino Vein	282.4	283.4	1.00	0.059	12.0	1710
Avino Vein	283.4	284.4	1.00	0.01	1.2	111
Avino Vein	284.4	285.4	1.00	0.196	28.1	5900
Avino Vein	285.4	286.4	1.00	0.035	4.7	530
Avino Vein	286.4	287.4	1.00	0.004	2.6	520
Avino Vein	287.4	287.4	0.00	0.015	2.4	214
Avino Vein	288.4	289.4	1.00	0.02	2.6	840
Avino Vein	289.4	290.4	1.00	0.004	1.5	185
Avino Vein	290.4	291.4	1.00	0.075	33.3	7500
Avino Vein	291.4	292.4	1.00	0.03	6.0	1250
Avino Vein	292.4	293.4	1.00	0.15	10.9	910
Avino Vein	293.4	294.4	1.00	0.08	66.0	11500
Avino Vein	294.4	295.4	1.00	0.15	21.0	1380
Avino Vein	295.4	296.4	1.00	0.004	1.5	211
Avino Vein	296.4	297.4	1.00	0.04	7.2	810
Avino Vein	297.4	298.4	1.00	0.05	13.3	1690
Avino Vein	298.4	299.4	1.00	0.01	2.8	149
Avino Vein	299.4	300.4	1.00	0.045	4.0	319
Avino Vein	300.4	301.4	1.00	0.015	5.0	375
Avino Vein	301.4	302.4	1.00	0.06	9.2	630

Avino Vein	302.4	303.4	1.00	0.095	28.6	6400
Avino Vein	303.4	304.4	1.00	0.07	10.2	1130
Avino Vein	304.4	305.4	1.00	0.045	9.3	430
Avino Vein	305.4	306.4	1.00	0.085	12.0	550
Avino Vein	306.4	307.4	1.00	0.155	28.0	2050
Avino Vein	307.4	308.45	1.05	0.37	31.0	1480
Avino Vein	308.45	309.45	1.00	0.04	24.3	1000
Avino Vein	309.45	310.45	1.00	0.065	17.6	1120
Avino Vein	310.45	311.45	1.00	0.185	7.0	308
Avino Vein	311.45	312.45	1.00	0.12	7.1	720
Avino Vein	312.45	313.45	1.00	0.08	3.1	107
Avino Vein	313.45	314.45	1.00	0.418	100.0	1760
Avino Vein	314.45	315.45	1.00	0.07	7.0	153
Avino Vein	315.45	316.45	1.00	0.28	29.0	1480
Avino Vein	316.45	317.45	1.00	0.22	13.2	1450
Avino Vein	317.45	318.45	1.00	0.06	36.0	1500
Avino Vein	318.45	319.45	1.00	0.25	545.8	7500
Avino Vein	319.45	320.45	1.00	0.05	96.0	5900
Avino Vein	320.45	321.45	1.00	0.105	72.0	8500
Avino Vein	321.45	322.45	1.00	0.035	23.0	8700
Avino Vein	322.45	323.45	1.00	0.054	25.4	7500
Avino Vein	323.45	324.45	1.00	0.03	41.6	10400
Avino Vein	324.45	325.45	1.00	0.04	43.6	14700
Avino Vein	325.45	326.45	1.00	0.075	41.5	9900
Avino Vein	326.45	327.45	1.00	0.065	45.0	8800
Avino Vein	327.45	328.45	1.00	0.06	55.0	3880
Avino Vein	328.45	329.45	1.00	0.144	42.0	6800
Avino Vein	329.45	330.45	1.00	0.17	40.0	7300
Avino Vein	330.45	331.45	1.00	1.24	80.0	22000
Avino Vein	331.45	332.45	1.00	0.653	157.0	22000
Avino Vein	332.45	333.45	1.00	1.051	176.0	21400
Avino Vein	333.45	334.45	1.00	0.12	111.0	13000
Avino Vein	334.45	335.45	1.00	0.12	78.0	18300
Avino Vein	335.45	336.45	1.00	0.125	80.0	16500
Avino Vein	336.45	337.45	1.00	0.205	33.6	7500
Avino Vein	337.45	338.45	1.00	0.3	53.0	4050
Avino Vein	338.45	339.45	1.00	0.04	38.4	11500
Avino Vein	339.45	340.45	1.00	0.015	2.6	950
Avino Vein	340.45	341.45	1.00	0.015	15.5	2450
Avino Vein	341.45	342.6	1.15	0.015	20.5	8900
Avino Vein	342.6	343.75	1.15	0.01	7.0	960
Avino Vein	343.75	344.75	1.00	0.02	17.4	4010
Avino Vein	344.75	345.75	1.00	0.004	4.0	1650
Avino Vein	345.75	346.75	1.00	0.004	4.2	169

ET-06-03						
<i>Bearing 339 Dip -48 Length 421.15m</i>						
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (g/t)
HW SPLIT	327.40	328.40	1.00	0.015	2.9	325
HW SPLIT	328.40	329.40	1.00	0.17	17.1	1161
HW SPLIT	329.40	330.45	1.05	0.055	0.4	239
HW SPLIT	330.45	331.45	1.00	0.59	1.1	244
HW SPLIT	331.45	332.45	1.00	0.004	0	40
HW SPLIT	332.45	333.50	1.05	0.281	1.6	70
HW SPLIT	333.50	334.50	1.00	0.015	0	56
HW SPLIT	334.50	335.50	1.00	0.004	0	41
HW SPLIT	335.50	336.60	1.10	0.01	1.9	213
HW SPLIT	336.60	337.60	1.00	0.385	0.8	326
HW SPLIT	337.60	338.60	1.00	0.345	0.4	187
HW SPLIT	338.60	339.60	1.00	1.29	6.5	1077
HW SPLIT	339.60	340.60	1.00	0.185	11.3	8208
HW SPLIT	340.60	341.60	1.00	0.12	0	127
HW SPLIT	341.60	342.60	1.00	0.035	0	54
HW SPLIT	342.60	343.60	1.00	0.27	3.1	227
HW SPLIT	343.60	344.65	1.05	0.38	2.5	686
HW SPLIT	344.65	345.65	1.00	0.191	1.6	406

HW SPLIT	345.65	346.65	1.00	0.533	1.7	319
HW SPLIT	346.65	347.70	1.05	0.04	0.5	283
HW SPLIT	347.70	348.70	1.00	0.369	16.5	1799
HW SPLIT	348.70	349.70	1.00	0.24	6.6	932
HW SPLIT	349.70	350.75	1.05	0.579	7.5	330
HW SPLIT	350.75	351.75	1.00	0.584	63.4	5402
HW SPLIT	351.75	352.75	1.00	1.725	32.8	2596
HW SPLIT	352.75	353.80	1.05	1.211	27.4	3353
HW SPLIT	353.80	355.05	1.25	1.923	25	1614
AVINO VEIN	368.25	369.25	1.00	0.449	68.3	3580
AVINO VEIN	369.25	370.30	1.05	0.595	224.7	1474
AVINO VEIN	370.30	371.30	1.00	0.303	68.5	2016
AVINO VEIN	371.30	372.30	1.00	0.105	62.5	1390
AVINO VEIN	372.30	373.35	1.05	0.212	132.5	3088
AVINO VEIN	373.35	374.35	1.00	0.185	238.7	9637
AVINO VEIN	374.35	375.35	1.00	0.085	34.9	1796
AVINO VEIN	375.35	376.05	0.70	0.135	142.8	5590
AVINO VEIN	376.05	377.05	1.00	0.109	71	2789
AVINO VEIN	377.05	378.05	1.00	0.25	74	4069
AVINO VEIN	378.05	379.10	1.05	0.133	91.4	6007
AVINO VEIN	379.10	380.40	1.30	0.055	49.3	10000
AVINO VEIN	380.40	381.40	1.00	0.06	90.4	16300
AVINO VEIN	381.40	382.40	1.00	0.04	74.5	24900
AVINO VEIN	382.40	383.45	1.05	0.035	45.6	10900
AVINO VEIN	383.45	384.50	1.05	0.03	36.6	12200
AVINO VEIN	384.50	385.65	1.15	0.435	46.5	16300
AVINO VEIN	385.65	386.65	1.00	0.045	65.2	12100
AVINO VEIN	386.65	387.65	1.00	0.01	27	3893
AVINO VEIN	387.65	388.70	1.05	0.025	34.7	4745
AVINO VEIN	388.70	389.90	1.20	0.035	34.3	4675
AVINO VEIN	389.90	390.90	1.00	0.13	31.2	8051

ET-06-02						
Bearing 340 Dip -50 Length 416.7m						
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (g/t)
Avino Vein	324.95	326.00	1.05	0.035	5.5	309
Avino Vein	326.00	327.00	1.00	0.04	32	72
Avino Vein	327.00	328.00	1.00	0.004	2	62
Avino Vein	328.00	328.75	0.75	0.04	10	48
Avino Vein	328.75	329.75	1.00	0.045	6.2	768
Avino Vein	329.75	330.75	1.00	0.01	6.2	731
Avino Vein	330.75	331.80	1.05	0.144	6.8	917
Avino Vein	331.80	332.80	1.00	0.01	1.6	204
Avino Vein	332.80	333.80	1.00	0.03	5.3	930
Avino Vein	333.80	334.85	1.05	0.045	25	3411
Avino Vein	334.85	335.85	1.00	0.004	4.3	981
Avino Vein	335.85	336.85	1.00	0.01	4	1187
Avino Vein	336.85	337.90	1.05	0.02	20	259
Avino Vein	337.90	338.90	1.00	0.01	1	138
Avino Vein	338.90	339.90	1.00	0.004	1.5	380
Avino Vein	339.90	340.95	1.05	0.065	7.2	1985
Avino Vein	340.95	341.95	1.00	0.045	16	5461
Avino Vein	341.95	342.95	1.00	0.305	4.7	1371
Avino Vein	342.95	344.00	1.05	0.075	14.2	5834
Avino Vein	344.00	345.00	1.00	0.054	15	2054
Avino Vein	345.00	346.00	1.00	0.035	9	3386
Avino Vein	346.00	347.05	1.05	0.025	4.6	2267
Avino Vein	347.05	347.75	0.70	0.319	9	3007
Avino Vein	347.75	348.75	1.00	1.085	14	3692
Avino Vein	348.75	349.75	1.00	2.044	27.6	6363
Avino Vein	349.75	350.80	1.05	0.622	9.6	3094
Avino Vein	350.80	351.80	1.00	0.315	12	1554
Avino Vein	351.80	352.80	1.00	0.13	11	1785
Avino Vein	352.80	353.85	1.05	0.145	8.3	2966
Avino Vein	353.85	354.85	1.00	2.568	18	6847
Avino Vein	354.85	355.85	1.00	0.195	14	4514

Avino Vein	355.85	356.90	1.05	0.19	30	6402
Avino Vein	356.90	357.95	1.05	0.41	60	7928
Avino Vein	357.95	359.00	1.05	0.295	10.5	1883
Avino Vein	359.00	360.05	1.05	4.31	41.6	7101
Avino Vein	360.05	361.05	1.00	0.485	9	2649
Avino Vein	361.05	362.05	1.00	0.45	8	1994
Avino Vein	362.05	363.05	1.00	0.09	4.4	1223
Avino Vein	363.05	364.05	1.00	2.329	17.7	5679
Avino Vein	364.05	365.10	1.05	0.045	14.4	2474
Avino Vein	365.10	366.40	1.30	0.353	18.4	9891
Avino Vein	366.40	367.70	1.30	1.549	100	7541
Avino Vein	367.70	368.70	1.00	1.24	16.7	2920
Avino Vein	368.70	369.70	1.00	0.215	13	2897
Avino Vein	369.70	370.75	1.05	0.201	35.2	5427
Avino Vein	370.75	371.75	1.00	0.285	27.6	4973
Avino Vein	371.75	372.75	1.00	0.978	50	6924
Avino Vein	372.75	373.80	1.05	0.11	32	3580
Avino Vein	373.80	374.80	1.00	0.51	57	1908
Avino Vein	374.80	375.80	1.00	0.365	57	4479
Avino Vein	375.80	376.80	1.00	0.769	45	5086
Avino Vein	376.80	377.90	1.10	1.24	50	10100
Avino Vein	377.90	379.90	1.00	0.675	52	9239
Avino Vein	379.90	380.90	1.00	0.1	47	3619
Avino Vein	380.90	381.90	1.00	0.045	18	1653
Avino Vein	381.90	382.95	1.05	0.035	12.1	4089
Avino Vein	382.95	383.55	0.60	0.015	8.5	1752
Avino Vein	383.55	384.55	1.00	0.05	10.2	3829
Avino Vein	384.55	385.55	1.00	0.088	19	3662
Avino Vein	385.55	386.60	1.05	0.03	44	1794
Avino Vein	386.60	387.65	1.05	0.125	35.7	2262
Avino Vein	387.65	388.75	1.10	0.158	126	7586
Avino Vein	388.75	389.75	1.00	0.06	21	3231
Avino Vein	389.75	390.75	1.00	0.045	10.7	2086
Avino Vein	390.75	391.80	1.05	0.89	26.8	3966
Avino Vein	391.80	392.80	1.00	1.49	36	4180
Avino Vein	392.80	393.80	1.00	0.195	13.5	2903
Avino Vein	393.80	394.95	1.15	0.095	24.5	4045
Avino Vein	394.95	395.95	1.00	0.035	11.3	1317
Avino Vein	395.95	396.95	1.00	0.06	21.9	1707
Avino Vein	396.95	398.00	1.05	0.01	2.5	378
Avino Vein	398.00	399.30	1.30	0.05	20.1	2242
Avino Vein	399.30	400.30	1.00	0.07	31.3	1927
Avino Vein	400.30	401.30	1.00	0.045	15.8	514
Avino Vein	401.30	402.35	1.05	0.025	28.1	497
Avino Vein	402.35	403.35	1.00	0.025	8.3	515
Avino Vein	403.35	404.35	1.00	0.04	1.3	61
Avino Vein	404.35	405.50	1.15	0.051	27.2	2913
Avino Vein	405.50	406.40	0.90	0.1	48	1326
Avino Vein	406.40	407.40	1.00	0.05	37.4	1259

ET-06-01 Bearing 337 Dip 90 Length 219.15m						
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (g/t)
Avino Vein	366.90	367.90	1.00	0.010	0.5	64
Avino Vein	367.90	368.90	1.00	0.005	19.4	952
Avino Vein	368.90	369.95	1.05	0.010	1.8	379
Avino Vein	369.95	370.95	1.00	0.030	33.7	2955
Avino Vein	370.95	371.95	1.00	0.049	40.0	2359
Avino Vein	371.95	373.00	1.05	0.010	4.8	607
Avino Vein	373.00	374.00	1.00	0.020	36.9	1985
Avino Vein	374.00	375.00	1.00	<0.005	1.1	194
Avino Vein	375.00	376.05	1.05	<0.005	8.2	1071
Avino Vein	376.05	376.80	0.75	<0.005	<0.1	122
Avino Vein	376.80	377.80	1.00	<0.005	2.1	326
Avino Vein	377.80	378.80	1.00	0.015	6.1	1046
Avino Vein	378.80	379.85	1.05	0.030	41.6	97

Avino Vein	379.85	380.85	1.00	0.020	3.0	658
Avino Vein	380.85	381.85	1.00	0.033	16.2	1530
Avino Vein	381.85	382.90	1.05	0.020	1.3	147
Avino Vein	382.90	383.90	1.00	0.015	8.5	451
Avino Vein	383.90	384.90	1.00	0.048	29.5	1735
Avino Vein	384.90	385.95	1.05	0.020	11.1	976
Avino Vein	385.95	386.95	1.00	0.078	45.9	3533
Avino Vein	386.95	387.95	1.00	0.055	44.5	510
Avino Vein	387.95	389.00	1.05	0.015	5.8	702
Avino Vein	389.00	390.00	1.00	<0.005	11.6	1651
Avino Vein	390.00	391.00	1.00	0.030	24.1	6692
Avino Vein	391.00	392.05	1.05	0.015	21.2	6118
Avino Vein	392.05	393.05	1.00	0.015	52.1	13800
Avino Vein	393.05	394.05	1.00	0.010	48.4	3282
Avino Vein	394.05	395.10	1.05	0.055	15.8	1193
Avino Vein	395.10	396.10	1.00	0.020	27.2	5666
Avino Vein	396.10	397.10	1.00	0.015	25.2	3589
Avino Vein	397.10	398.15	1.05	0.030	54.7	5950
Avino Vein	398.15	399.15	1.00	0.010	21.9	2030
Avino Vein	399.15	400.25	1.10	0.015	12.9	1927
Avino Vein	400.25	401.25	1.00	0.015	17.2	1346
Avino Vein	401.25	402.25	1.00	0.120	15.0	4123
Avino Vein	402.25	403.30	1.05	0.020	2.6	1266
Avino Vein	403.30	404.30	1.00	0.015	10.1	3046
Avino Vein	404.30	405.30	1.00	0.030	19.7	3607
Avino Vein	405.30	406.35	1.05	0.030	4.4	2202
Avino Vein	406.35	407.55	1.20	0.132	12.2	4958
Avino Vein	407.55	408.80	1.25	0.112	16.6	3099
Avino Vein	408.80	409.80	1.00	0.085	17.6	2568
Avino Vein	409.80	410.80	1.00	0.262	136.6	6680
Avino Vein	410.80	411.85	1.05	0.004	81.4	3346
Avino Vein	411.85	412.85	1.00	0.020	14.4	1248
Avino Vein	412.85	413.85	1.00	0.040	9.8	917
Avino Vein	413.85	414.90	1.05	0.060	11.7	826
Avino Vein	414.90	415.90	1.00	0.004	16.5	2209
Avino Vein	415.90	416.90	1.00	<0.005	11.0	733
Avino Vein	416.90	417.95	1.05	<0.005	6.4	682