



<b>SG-08-06</b> <i>Intersected San Gonzalo between 214.5 - 219.70m (5.65m) 0.88g/t Au, 235 g/t Ag</i>								
	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)
	214.05	214.85	0.8	0.729	204	2944	21400	17600
San Gonzalo Vein With Sulphide Minerals	214.85	215.95	1.1	0.523	95	1189	5264	6417
	215.95	216.8	0.65	0.335	47.5	398	1486	2918
	216.8	218	1.2	0.36	87.3	1960	5342	7772
	218	218.85	0.85	<b>3.228</b>	<b>758.9</b>	3731	18500	19000
	218.85	219.7	0.85	0.402	<b>316.1</b>	7094	17500	14800

<b>SG-08-05</b> <i>Didn't intersect SG vein but hit breccia zone which may be part of another system</i>								
	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)
	437.75	438.5	0.75	0.03	0.1	5	33	32
Breccia Zone	438.5	438.9	0.4	<0.005	<0.1	6	22	76
	438.9	439.55	0.65	0.015	<0.1	7	18	65
	439.55	440.35	0.8	0.01	<0.1	8	14	30

<b>SG-08-04</b> <i>Intersected San Gonzalo vein 261.25 - 264.6m (3.35m) 0.5 g/t Gold, 59 g/t Silver</i>								
	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)
	261.25	261.75	0.5	0.802	81	145	754	1251
	261.75	262.75	1	0.331	61.4	234	1014	2002
San Gonzalo Vein	262.75	263.15	0.4	0.04	11.2	39	109	353
	263.15	263.7	0.55	0.99	85	119	396	794
	263.7	264.6	0.9	0.424	49.7	208	440	702

<b>SG-08-03</b> <i>Intersected SG Vein 322.2-325.7m (3.7m) 0.41 g/t Gold, 119 g/t Silver</i>								
	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)
	321.04	322	0.6	0.016	1.6	33	126	423
Andesite volcanic with quartz veins	322	322.85	0.65	0.215	74.1	409	11500	2725
	322.85	323.7	0.85	0.195	75.2	389	2665	3405
	323.7	324.1	0.4	0.109	221	3668	65000	3569
	324.1	324.9	0.8	0.925	55	264	6449	3610
	324.9	325.7	0.8	0.457	223.5	729	15500	4012
	325.7	327	1.3	0.288	31.8	483	2241	2408

<b>SG-08-02</b> <i>Intersected 2 zones of mineralization 1.6m @ 1.72 g/t Au , 704 g/t Ag &amp; 3.0m</i>								
	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)
	257.5	258.05	0.55	0.42	150.2	318	2832	5393
	258.05	258.7	0.65	3.84	1564.4	264	13100	13900
	258.7	259.1	0.4	0.075	68.1	79	266	502
	263.05	263.75	0.7	10.765	1275.6	7394	106000	146000
	263.75	263.95	0.2	0.115	62.3	364	4916	31000
	263.95	264.7	0.75	2.606	587.4	3427	76200	200000
	264.7	265.3	0.6	7.337	224.1	2363	146000	355000
	264.3	266.05	0.75	22.56	204.2	917	80000	126000

<b>SG-08-01</b> <i>Intersected a 2.75m zone @ 1.13 g/t gold and 155 g/t silver</i>								
	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu (ppm)	Pb (ppm)	Zn (ppm)
	143.05	144.4	1.35	1.33	168.6	309	530	3598
	144.4	145.8	1.4	0.93	142.1	131	560	1540



AVINO SILVER &  
GOLD MINES LTD.

2007 San Gonzalo zone drilling

Holes #1-40

<b>SG-07-40</b> <i>Bearing 230 - Dip 74 - Length 516.05m</i>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
Santiago vein	33.2	33.7	0.5	5.966	2851.9	576	748	1558
Qtz veining w/chalcopyrite	255.65	256.75	1.1	0.03	212.6	6115	1386	2887
Quartz veinlet w/sulfides	275.9	276.45	0.55	0.059	390	978	17000	364
Quartz veinlet w/sulfides along cor	382.9	383.25	0.35	1.926	208.7	331	270	307
San Gonzalo vein	500.25	501.65	1.4	0.075	14.1	71	263	833
San Gonzalo vein	501.65	502.45	0.8	0.015	3.1	25	49	81

<b>SG-07-39</b> <i>Bearing 220 - Dip 73 - Length 128.05m</i>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
San Gonzalo vein	76.5	77	0.5	0.286	25.5	61	943	918
San Gonzalo vein	77	77.8	0.8	0.192	66.5	118	324	357
San Gonzalo vein	77.8	78.6	0.8	0.082	58.5	142	1001	1032

<b>SG-07-38</b> <i>Bearing 221 - Dip 66.5 - Length 214.15m</i>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
S Gonzalo Vein Ox-milky wh qtz vei	168.65	170	1.35	0.716	88.2	231	1278	2217

<b>SG-07-37</b> <i>Bearing 219 Dip 53 Length 154.35m</i>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
San Gonzalo Vein	145.45	146.55	1.1	0.21	220.7	104	698	2554
San Gonzalo Vein	146.55	147.55	1	0.108	63.6	68	670	1257

<b>SG-07-36</b> <i>Bearing 215 - Dip 45 - Length 102.15m</i>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
San Gonzalo vein	65.3	65.65	0.35	<0.005	6	13	60	520
Los Angeles vein	78.05	78.8	0.75	0.03	12.1	13	29	428
Silicif tuff	78.8	80.45	1.65	0.01	3.8	103	95	456
Los Angeles vein	80.45	81.95	1.5	0.105	19.5	73	144	281

<b>SG-07-34</b> <i>Bearing 215 - Dip 45 - Length 100m</i>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
San Gonzalo vein	161.5	162.6	1.1	0.258	28	60	129	231
Silicif tuff	162.6	163.95	1.35	0.072	6.8	9	42	285
Quartz veining	163.95	165.02	1.1	0.05	7	26	43	220
Quartz veining	165.05	166.2	1.15	0.066	5.1	22	43	355
San Gonzalo vein	166.2	167.3	1.1	0.058	19.7	24	58	822

<b>SG-07-33</b> <i>Bearing 209 - Dip 45 - Length 130.6</i>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
San Gonzalo vein	116.15	117.15	1	0.283	0.01	361	8295	25100
San Gonzalo vein	117.15	118.4	1.25	0.337	0.01	659	7934	32900
San Gonzalo vein	118.4	119.55	1.15	0.934	0.03	475	10000	39300
San Gonzalo vein	119.55	120.55	0.95	0.168	0.005	193	2418	7965
San Gonzalo vein	120.5	121.85	1.35	1.996	0.06	878	31400	17400
San Gonzalo vein	121.85	122.7	0.85	0.378	0.01	954	17700	61800
San Gonzalo vein	122.7	123.6	0.9	0.115	0.003	192	1495	1573

<b>SG-07-32</b> <i>Bearing 215 - Dip 70 - Length 390.2m</i>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
Hanging wall vein	392.5	393.2	0.7	2.149	192.8	5.62	1484	1153
Strong silicif and quartz veining	393.2	394.6	1.4	0.123	24.1	0.7	393	1081
Strong silicif and quartz veining	394.6	396.2	1.6	0.14	7.7	0.22	148	522
San Gonzalo vein system	396.2	397.75	1.55	0.419	65.9	0.92	528	919

<b>SG-07-31 Bearing 215 - Dip 70 - Length 71.85m</b>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
San Gonzalo vein	51.25	51.7	0.45	1.085	449.3	294	1812	7272

<b>SG-07-30 Bearing 215 - Dip 64 - Length 158.4</b>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
Strong argillized rock+diss pyrite	79.4	80.25	0.85	0.605	213.8	3741	990	2370
Veinlets with sulfides	116.35	116.9	0.55	1.38	519.1	6162	18200	11600
Caliche zone	138.85	139.9	1.05	0.105	10.5	30	110	541
no core recovered between 139.9-	140.8	141.45	0.65	0.786	53.7	179	439	394

<b>SG-07-29 Bearing 215 - Dip 45 - Length 100m</b>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
HW San Gonzalo vein	70.2	71.2	1	0.185	69.6	862	1956	5259
Wh qtz veining w/ strong pyrite	71.2	72.35	1.15	0.091	13.6	173	1151	2622
Wh qtz veining w/ strong pyrite	72.35	73.3	0.95	0.125	18.6	174	1242	2799
Silicified material	75.45	76.35	0.9	0.025	21	831	973	983
San Gonzalo vein	76.35	77.2	0.85	0.153	299.1	3456	218	2242
San Gonzalo vein	77.2	78	0.8	0.542	243.8	3774	4778	3515
San Gonzalo vein	78	78.9	0.9	0.185	207.1	563	3317	3559

<b>SG-07-28 Bearing 215 - Dip 73 - Length 319.5m</b>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
San Gonzalo Vein	310.1	311.05	0.95	0.794	102.4	315	1695	3781

<b>SG-07-27 Bearing 215 - Dip 70 - Length 237.75m</b>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
Qtz veinlet w/ diss sulfs	139.4	139.95	0.55	6.13	153.7	1298	13000	20900
San Gonzalo HW vein	206.45	207.4	0.95	0.986	100.1	410	1349	2824
San Gonzalo HW vein	207.4	207.8	0.4	2.272	754.1	252	2373	6703
San Gonzalo vein	217.15	217.55	0.4	0.711	60.7	166	260	949
Veinlet w/ base metal mineralizatio	227.65	228	0.35	1.644	94.7	6092	17400	65100
Host Rock Silicied tuff	233	233.65	0.65	0.122	57.5	3864	4459	3409
Wh qz vein	233.65	234.1	0.45	10.63	117.3	953	1424	1631

<b>SG-07-26 Bearing 215 - Dip 75 - Length 393.4m</b>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
San Gonzalo Vein	381.55	382.45	0.9	0.015	11.3	187	375	1149
San Gonzalo Vein	382.45	383.15	0.7	0.175	22.7	101	492	2262
San Gonzalo Vein	383.15	383.85	0.7	0.378	59.7	194	1437	838

<b>SG-07-25 Bearing 215 - Dip 65 Length 190.45m</b>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
Side Vein	103.95	104.2	0.25	0.165	209.2	920	5600	196
Side Vein	104.75	105.05	0.3	0.239	283.4	10800	3540	1450
Side Vein	133.35	133.65	0.3	1.517	79	950	39300	1180
San Gonzalo Footwall vein	175.85	176.75	0.9	1.096	343.2	11000	6100	2840
San Gonzalo vein	179.4	179.95	0.55	0.243	39.5	281	670	1500
San Gonzalo vein	179.95	180.85	0.9	0.123	12.1	48	91	700
San Gonzalo vein	180.85	181.7	0.85	0.541	61.5	50	66	560
San Gonzalo vein	181.7	182.8	1.1	0.851	62.6	67	135	640
San Gonzalo vein	182.8	183.3	0.5	1.396	113	128	209	780
San Gonzalo vein	183.3	184.25	0.95	2.88	368.8	197	780	1790

<b>SG-07-24 Bearing 215 - Dip 53 - Length 124.4m</b>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
Side Vein	69.3	69.6	0.3	0.82	631.1	153	6500	6800
San Gonzalo vein	113.9	114.7	0.8	0.135	27.7	172	1530	5000
San Gonzalo vein	114.7	115.8	1.1	0.097	12.2	246	3230	7500
San Gonzalo vein	115.8	116.6	0.8	16.32	2804.4	227	1350	15600
San Gonzalo vein	116.6	117.25	0.65	10.491	5265.2	910	15200	28900
San Gonzalo vein	117.25	118.4	1.15	0.147	28.9	27	1040	2350
San Gonzalo vein	118.4	119.45	1.05	0.23	18.1	110	2110	2980

<b>SG-07-23 Bearing 215 - Dip 69 - Length 303.45m</b>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
Silicified Tuff rock	293.8	294.5	0.7	0.425	254	114	820	1933
San Gonzalo vein	294.5	295.55	1.05	2.512	502.7	3059	11400	39800
San Gonzalo vein	295.55	296.1	0.55	1.408	63.1	131	412	3345
San Gonzalo vein	296.1	297.6	1.5	15.771	1511.8	2570	60600	42300
San Gonzalo vein	297.6	297.85	0.25	13.988	763.7	1328	30500	36900
San Gonzalo vein	297.85	298.75	0.9	0.214	56.3	144	437	732

<b>SG-07-22 Bearing 215 - dip 55 - Length 232.5m</b>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
San Gonzalo vein	227.05	228.1	1.05	2.052	211.2	1277	6398	4162
San Gonzalo vein	228.1	229.25	1.15	0.868	109.2	165	487	690
San Gonzalo vein	229.25	229.75	0.5	1.778	126.7	199	859	1763

<b>SG-07-21 Bearing 033 - Dip 54 - Length 295m</b>								
Description	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
Wh qtz veining w/ diss fine sulfs	135	136.35	1.35	0.215	20.7	840	1168	8682
Silicified Tuff rock	280.05	280.6	0.55	0.04	4.7	11	459	699
San Gonzalo Vein	280.6	281.25	0.65	0.358	32	45	1884	5101
San Gonzalo Vein	281.6	282.35	0.75	0.209	35.3	184	778	4569
San Gonzalo Vein	282.35	283.5	1.15	2.172	24.9	127	444	1123
San Gonzalo Vein	283.5	284.1	0.6	1.37	59.2	521	7016	1299
San Gonzalo Vein	284.1	284.9	0.8	0.055	5.5	66	1043	975
San Gonzalo Vein	284.9	285.3	0.4	0.233	133.1	1056	24800	29000

<b>SG-07-20 Bearing 215 - Dip 66 - Length 247.4m</b>								
From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm	
11.4	12.6	1.2	0.125	64.5	57	106	167	
12.6	13.25	0.65	0.419	648.8	534	1182	2124	
13.25	14.1	0.85	0.099	18.1	84	302	2080	
51.05	51.55	0.5	0.206	22.2	22	109	218	
53.45	54	0.55	2.454	839.2	536	5927	7122	
112.1	112.5	0.4	0.135	131.7	8533	756	413	
146.8	147.55	0.75	0.145	32.2	1568	382	830	
195.65	195.85	0.2	0.07	187.3	10700	240	1730	

<b>SG-07-19 Bearing - 252 - Dip 66 - Length 345.0m</b>								
From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm	
126.4	129.9	0.5	94.421	265.7	25500	3379	1631	
131.2	131.5	0.3	1.385	68	18000	426	343	
133.85	134.6	0.75	1.011	27.3	5173	138	229	
229.05	229.7	0.65	0.21	10.1	58	1588	2154	
230.4	230.8	0.4	0.973	116.1	1237	1245	2821	
236.55	237.4	0.85	0.07	22.3	90	127	1560	
237.4	238.25	0.85	0.097	45	50	209	1581	
244.8	245.7	0.9	0.068	6.9	17	98	1406	
252.95	253.5	0.55	0.164	10.3	178	279	653	
253.5	254.65	1.15	0.04	39.4	1767	1096	814	

<b>SG-07-18</b>							
<i>Bearing 215 - Dip 66 - Length 238.05m</i>							
From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
166.6	167.5	0.9	0.198	16.5	490	2612	4085
167.5	168.2	0.7	0.63	55	2035	2219	692
168.2	168.75	0.55	0.215	145.5	6887	835	302
171.15	171.4	0.25	0.454	132	5281	1611	3216
214.2	214.6	0.4	0.185	14.7	13	711	144
219.75	221	1.25	0.109	23.6	164	1334	2321
221	222.2	1.2	0.725	66	117	863	1836
222.2	223.4	1.2	0.01	5.3	113	136	473
232.65	233.35	0.7	0.01	4	72	71	981
233.35	234.1	0.75	1.369	112.8	126	1045	1571
234.1	234.9	0.8	0.485	66.7	305	1626	3523
234.9	235.8	0.9	0.015	46.8	1643	583	395
235.8	237	1.2	0.01	44.2	1678	443	274
237	238.05	1.05	0.02	9.7	370	222	373

  

<b>SG-07-17</b>							
<i>Bearing 251 - Dip 55 - Length 69.8m</i>							
From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
46.7	47.6	0.9	0.054	15.5	82	1259	1801
47.6	48.2	0.6	0.02	5.2	84	2129	1270
53.05	53.95	0.9	0.055	7.1	53	1793	11300

  

<b>SG-07-16</b>							
<i>Bearing 215 - Dip 55 - Length 99.85m</i>							
From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
48.6	49.05	0.45	6.171	1189	241	2844	7658
95.75	96.2	0.45	0.078	9.6	27	193	430
96.2	96.75	0.55	0.253	326.4	6489	3126	4661
96.75	97.55	0.8	0.159	19.2	483	336	752

  

<b>SG-07-15</b>							
<i>Bearing 215 - Dip 49 - Length 96.2m</i>							
From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
32.25	33.2	0.95	0.063	20.8	67	93	4727
33.2	33.9	0.7	0.045	6.3	35	23	662
63.5	63.9	0.4	0.743	>200	104	2725	2998

  

<b>SG-07-14</b>							
<i>Bearing 053 - Dip 52 - Length 295.20m</i>							
From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
287.6	288.5	0.9	2.356	179.1	727	1267	2755
288.5	289.05	0.55	0.427	55.3	188	381	1440
289.05	289.85	0.8	1.594	107.8	710	1386	4558
289.85	290.85	1	3.84	3623.2	2727	29300	48300
290.85	291.85	1	0.478	202.6	236	1796	3579
291.85	293	1.15	0.215	64.9	125	1096	1600

  

<b>SG-07-13</b>							
<i>Bearing 012 - Dip 49 - Length 158.6m</i>							
From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
147.45	148.45	1	0.55	91.5	3199	2205	2436
148.45	149.05	0.6	0.155	77.9	326	724	7039
149.05	149.7	0.65	1.209	150.8	192	1284	1670
149.7	150.7	1	0.778	500.6	264	1.779	3037
150.7	151.5	0.8	3.153	238.9	1910	11000	10700
151.5	152.2	0.7	0.822	121.3	241	922	4552
152.2	153	0.8	1.057	44.5	91	783	1730

<b>SG-07-12</b> <i>Bearing 037 - Dip 45 - Length 106.6m</i>							
From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
165.65	166.4	0.75	22.902	1609.9	840	2106	3692
166.4	167.05	0.65	8.366	898	262	974	2266
167.05	67.75	0.7	13.508	427.6	261	1188	1282
167.75	168.55	0.8	1.89	283.6	1169	9356	4652
168.55	169.45	0.9	2.792	194.4	293	427	723

<b>SG-07-11</b> <i>Bearing 012 - Dip 52 - Length 158.6m</i>							
From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
146.75	147.45	0.7	0.676	40	1488	13100	14200
147.45	148.15	0.7	0.21	21	379	5831	12900
148.15	149.15	1	1.86	66.6	61	439	1206
149.15	150	0.85	1.331	222.4	451	3627	6933

<b>SG-07-10</b> <i>Bearing 046 - Dip 58 - Length 162.9m</i>							
From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
154.3	154.65	0.35	5.143	992.3	756	2793	5026
154.65	155.25	0.6	0.381	27.5	102	657	923
155.25	155.9	0.65	0.667	130.2	154	729	1010
155.9	156.8	0.9	2.914	291.8	190	797	1757
156.8	157.55	0.75	4.183	926.8	1015	2995	3153
157.55	158.05	0.5	4.114	575.9	671	1486	1947

<b>SG-07-09</b> <i>Bearing 037 - Dip 45 - Length 106.6m</i>							
From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Cu ppm	Pb ppm	Zn ppm
99.75	100.55	0.8	1.02	147.1	80	552	1189
100.55	101.35	0.8	0.62	78.9	290	1300	1685
101.35	102.25	0.9	0.06	2.2	164	835	2108
102.25	102.95	0.7	2.051	297.9	4492	10070	23900

<b>SG-07-08</b> <i>Bearing 35 - Dip 55 - Length 377.8</i>							
	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Pb (%)	Zn (%)
missed ore shoot	N/A	N/A	N/A	N/A	N/A	N/A	N/A

<b>SG-07-07</b> <i>Bearing 36 - Dip 44 - Length 281.55</i>							
	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Pb (%)	Zn (%)
San Gonzalo Vein	247.75	250.35	2.6	2.85	351	1.04	0.66

<b>SG-07-06</b> <i>Bearing 47 - Dip 58 - Length 387.2m</i>							
	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Pb (%)	Zn (%)
Santiago Vein	24.8	28.3	3.5	0.4	226	NS	NS
Cross Vein	280.65	280.9	0.25	0.5	2120	7.82	NS
San Gonzalo	367.35	371.5	3.85	0.1	11	NS	NS

<b>SG-07-05</b> <i>Bearing 51 - Dip 69 - Length 137m</i>							
	From (Metres)	To (Metres)	Down Hole Lengths (metres)	Au (g/t)	Ag (g/t)	Pb (%)	Zn (%)
Santiago Vein	28.7	31.8	3.1	0.49	201	NS	NS
Includes	31.1	31.8	0.7	1.54	272	NS	NS

<b>SG-07-04 Bearing 45 - Dip 49 - Length 312.7</b>							
	<b>From (Metres)</b>	<b>To (Metres)</b>	<b>Down Hole Lengths (metres)</b>	<b>Au (g/t)</b>	<b>Ag (g/t)</b>	<b>Pb (%)</b>	<b>Zn (%)</b>
Santiago Vein	18.55	25	6.45	0.21	364	NS	NS
(includes)	20.85	21.9	1.05	0.29	990	0.21	NS
" "	21.9	22.8	0.9	0.49	433	0.16	NS
Cross Vein	31	34.05	3.05	0.18	86	0.17	NS
San Gonzalo HW	248.15	249.25	1.1	0.43	58	0.25	0.26
FW	258.75	259	0.25	2.66	114	4.8	4.22

<b>SG-07-03 Bearing 66 - Dip 43 - Length 315m</b>							
	<b>From (Metres)</b>	<b>To (Metres)</b>	<b>Down Hole Lengths (metres)</b>	<b>Au (g/t)</b>	<b>Ag (g/t)</b>	<b>Pb (%)</b>	<b>Zn (%)</b>
San Gonzalo Vein	187.45	188.7	1.25	3.57	341	0.6	0.87

<b>SG-07-02 Bearing 30 - Dip 48 - Length 323.7m</b>							
	<b>From (Metres)</b>	<b>To (Metres)</b>	<b>Down Hole Lengths (metres)</b>	<b>Au (g/t)</b>	<b>Ag (g/t)</b>	<b>Pb (%)</b>	<b>Zn (%)</b>
San Gonzalo Vein Hanging Wall Zone	214.65	219.1	4.45	6.11	583.8	1.4	2.54
San Gonzalo Vein Foot Wall Zone	252.65	256	3.35	6.91	21.1	1.55	2.33

<b>SG-07-01 Bearing 42 - Dip 60 - Length 386.8m</b>							
	<b>From (Metres)</b>	<b>To (Metres)</b>	<b>Down Hole Lengths (metres)</b>	<b>Au (g/t)</b>	<b>Ag (g/t)</b>	<b>Pb (%)</b>	<b>Zn (%)</b>
Santiago Vein	147	149.7	2.7	1.19	227	>1%	>1%
San Gonzalo Vein Hanging Wall Zone	357.3	362.15	4.85	0.64	343.2	0.36%	0.63%
San Gonzalo Vein Foot Wall Zone	372.65	375.05	2.4	2.41	712.4	0.50%	0.13%